IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org







CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

ISOTUBI

POLIGONO INDUSTRIAL SANTA RITA CALLE MECANICA #6 BARCELONA 08755, CASTELLBISBAL, SPAIN

Product:

Press Connections

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada

Products are certified to the following standard(s)

IAPMO PS 117-2021

File Number: 12371

Effective Date: April 2020

Void After:

April 2025*

Chairman, Product Certification Committee



Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections Void After: April 2025

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Each fittings, tube, and pipe shall be marked with the manufacturer's name or trademark, nominal size, and the legend "PW" or "Potable Water", when intended for potable water applications. The product shall also bear the cUPC mark.

Characteristics:

Metallic press-connect fittings, tube and pipe with rubber O-rings to be used with copper, carbon steel or stainless steel water pipe. The press joint is made with a special hydraulic compression tool. To be installed in accordance with the manufacturer's instructions and the latest edition of the Uniform Plumbing Code and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections **Void After:** April 2025

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Note: models with suffix options F and H are not intended for drinking water applications

Model Number	Description	Alternate Model Number
S124	316 Stainless Coupling - Stop, P x P, 1/2"	F011/26GE*
S124	316 Stainless Coupling - Stop, P x P, 3/4"	F013/46GE*
S124	316 Stainless Coupling - Stop, P x P, 1"	F0116GE*
S124	316 Stainless Coupling - Stop, P x P, 1 1/4"	F0111/46GE*
S124	316 Stainless Coupling - Stop, P x P, 1 1/2"	F0111/26GE*
S124	316 Stainless Coupling - Stop, P x P, 2"	F0126GE*

Model Number	Description	Alternate Model Number
S125	316 Stainless Coupling - No Stop, P x P, 1/2"	F021/26GE*
S125	316 Stainless Coupling - No Stop, P x P, 3/4"	F023/46GE*
S125	316 Stainless Coupling - No Stop, P x P, 1"	F0216GE*
S125	316 Stainless Coupling - No Stop, P x P, 1 1/4"	F0211/46GE*
S125	316 Stainless Coupling - No Stop, P x P, 1 1/2"	F0211/26GE*
S125	316 Stainless Coupling - No Stop, P x P, 2"	F0226GE*

Model Number	Description	Alternate Model Number
S185	316 Stainless Elbow, 90, P x P, 1/2"	F031/26GE*
S185	316 Stainless Elbow,90, P x P, 3/4"	F033/46GE*
S185	316 Stainless Elbow,90, P x P, 1"	F0316GE*
S185	316 Stainless Elbow, 90, P x P, 1 1/4"	F0311/46GE*
S185	316 Stainless Elbow, 90, P x P, 1 1/2"	F0311/26GE*
S185	316 Stainless Elbow,90, P x P, 2"	F0326GE*

Model Number	Description	Alternate Model Number
--------------	-------------	------------------------



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections **Void After:** April 2025

Model Number	Description	Alternate Model Number
S184	316 Stainless Elbow, 90 FTG x P, 1/2"	F041/26GE*
S184	316 Stainless Elbow, 90, FTG x P, 3/4"	F043/46GE*
S184	316 Stainless Elbow, 90, FTG x P, 1"	F0416GE*
S184	316 Stainless Elbow, 90, FTG x P, 1 1/4"	F0411/46GE*
S184	316 Stainless Elbow, 90, FTG x P, 1 1/2"	F0411/26GE*
S184	316 Stainless Elbow, 90, FTG x P, 2"	F0426GE*

Model Number	Description	Alternate Model Number
S188	316 Stainless Elbow, 45, P x P, 1/2"	F051/26GE*
S188	316 Stainless Elbow, 45, P x P, 3/4"	F053/46GE*
S188	316 Stainless Elbow, 45, P x P, 1"	F0516GE*
S188	316 Stainless Elbow, 45, P x P, 1 1/4"	F0511/46GE*
S188	316 Stainless Elbow, 45, P x P, 1 1/2"	F0511/26GE*
S188	316 Stainless Elbow,45, P x P, 2"	F0526GE*

Model Number	Description	Alternate Model Number
S187	316 Stainless Elbow,45, FTG x P, 1/2"	F061/26GE*
S187	316 Stainless Elbow, 45, FTG x P, 3/4"	F063/46GE*
S187	316 Stainless Elbow, 45, FTG x P, 1"	F0616GE*
S187	316 Stainless Elbow, 45, FTG x P, 1 1/4"	F0611/46GE*
S187	316 Stainless Elbow, 45, FTG x P, 1 1/2"	F0611/26GE*
S187	316 Stainless Elbow, 45, FTG x P, 2"	F0626GE*

Model Number	Description	Alternate Model Number
S195	316 Stainless Reducing Tee P X P X FPT, 1/2" x 1/2" x 1/2"	F121/21/26GE*
S195	316 Stainless Reducing Tee P x P x FPT, 1/2" x 1/2" x 3/4"	F121/23/46GE*



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections **Void After:** April 2025

Model Number	Description	Alternate Model Number
S195	316 Stainless Reducing Tee, P x P x FPT, 3/4" x 3/4" x 1/2"	F123/41/26GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 3/4" x 3/4" x 3/4"	F123/43/46GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 3/4" x 3/4" x 1"	F123/416GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1" x 1" x 1/2"	F1211/26GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1" x 1" x 3/4"	F1213/46GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1" x 1" x 1 1/4"	F12111/46GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1 1/4" x 1 1/4" x 1/2"	F1211/41/26GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1 1/4" x 1 1/4" x 3/4"	F1211/43/46GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1 1/4" x 1 1/4" x 1"	F1211/416GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1 1/4" x 1 1/4" x 1 1/4"	F1211/411/46GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1 1/2" x 1 1/2" x 1/2" x 1/2"	F1211/21/26GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1 1/2" x 1 1/2" x 3/4"	F1211/23/46GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1 1/2" x 1 1/2" x 1"	F1211/216GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 1 1/2" x 1 1/2" x 1 1/2"	F1211/211/26GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 2" x 2" x 1/2"	F1221/26GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 2" x 2" x 3/4"	F1223/46GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 2" x 2" x 1"	F12216GE*
S195	316 Stainless Reducing Tee, P x P x FPT, 2" x 2" x 2"	F12226GE*



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections **Void After:** April 2025

Model Number	Description	Alternate Model Number
S191	316 Stainless Reducer, FTG x P, 3/4" x 1/2"	F143/41/26GE*
S191	316 Stainless Reducer, FTG x P, 1" x 1/2"	F1411/26GE*
S191	316 Stainless Reducer, FTG x P, 1" x 3/4"	F1413/46GE*
S191	316 Stainless Reducer, FTG x P, 1 1/4" x 1/2"	F1411/41/26GE*
S191	316 Stainless Reducer, FTG x P, 1 1/4" x 3/4"	F1411/43/46GE*
S191	316 Stainless Reducer, FTG x P, 1 1/4" x 1"	F1411/416GE*
S191	316 Stainless Reducer, FTG x P, 1 1/2" x 1/2"	F1411/21/26GE*
S191	316 Stainless Reducer, FTG x P, 1 1/2" x 3/4"	F1411/23/46GE*
S191	316 Stainless Reducer, FTG x P, 1 1/2" x 1"	F1411/216GE*
S191	316 Stainless Reducer, FTG x P, 1 1/2" x 1 1/4"	F1411/211/46GE*
S191	316 Stainless Reducer, FTG x P, 2" x 1/2"	F1421/26GE*
S191	316 Stainless Reducer, FTG x P, 2" x 3/4"	F1423/46GE*
S191	316 Stainless Reducer, FTG x P, 2" x 1"	F14216GE*
S191	316 Stainless Reducer, FTG x P, 2" x 1 1/4"	F14211/46GE*
S191	316 Stainless Reducer, FTG x P, 2" x 1 1/2"	F14211/26GE*

Model Number	Description	Alternate Model Number
S190	316 Stainless Tee, P x P x P, 3/4" x 3/4" x 1/2"	F153/41/23/46GE*
S190	316 Stainless Tee, P x P x P, 1" x 1" x 1/2"	F1511/216GE*
S190	316 Stainless Tee, P x P x P, 1" x 1" x 3/4"	F1513/416GE*
S190	316 Stainless Tee, P x P x P, 2" x 2" x 1/2"	F1521/226GE*
S190	316 Stainless Tee, P x P x P, 2" x 2" x 3/4"	F1523/426GE*
S190	316 Stainless Tee, P x P x P, 2" x 2" x 1"	F152126GE*
S190	316 Stainless Tee, P x P x P, 2" x 2" x 1 1/2"	F15211/226GE*
S190	316 Stainless Tee, P x P x P, 1 1/4" x 1 1/4" x 1 1/2"	F1511/41/211/46GE*
S190	316 Stainless Tee, P x P x P, 1 1/4" x 1 1/4" x 3/4"	F1511/43/411/46GE*



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections **Void After:** April 2025

Model Number	Description	Alternate Model Number
S190	316 Stainless Tee, P x P x P, 1 1/4" x 1 1/4" x 1 1"	F1511/4111/46GE*
S190	316 Stainless Tee, P x P x P, 1 1/2" x 1 1/2" x 1/2" x	F1511/21/211/26GE*
S190	316 Stainless Tee, P x P x P, 1 1/2" x 1 1/2" x 3/4"	F1511/23/411/26GE*
S190	316 Stainless Tee, P x P x P, 1 1/2" x 1 1/2" x 1"	F1511/2111/26GE*
S190	316 Stainless Tee, P x P x P, 1 1/2" x 1 1/2" x 1 1/4"	F1511/211/411/26GE*

Model Number	Description	Alternate Model Number
S159	316 Stainless Tee, P x P x P, 1/2"	F161/26GE*
S159	316 Stainless Tee, P x P x P, 3/4"	F163/46GE*
S159	316 Stainless Tee, P x P x P, 1"	F1616GE*
S159	316 Stainless Tee, P x P x P, 1 1/4"	F1611/46GE*
S159	316 Stainless Tee, P x P x P, 1 1/2"	F1611/26GE*
S159	316 Stainless Tee, P x P x P, 2"	F1626GE*

Model Number	Description	Alternate Model Number
S196	316 Stainless Adapter, P x FPT, 1/2" x 1/2"	F171/21/26GE*
S196	316 Stainless Adapter, P x FPT, 3/4" x 1/2"	F171/23/46GE*
S196	316 Stainless Adapter, P x FPT, 1" x 1/2"	F171/216GE*
S196	316 Stainless Adapter, P x FPT, 3/4" x 1/2"	F173/41/26GE*
S196	316 Stainless Adapter, P x FPT, 3/4" x 3/4"	F173/43/46GE*
S196	316 Stainless Adapter, P x FPT, 1" x 3/4"	F173/416GE*
S196	316 Stainless Adapter, P x FPT, 3/4" x 1 1/4"	F173/411/46GE*
S196	316 Stainless Adapter, P x FPT, 1" x 1/2"	F1711/26GE*
S196	316 Stainless Adapter, P x FPT, 1" x 3/4"	F1713/46GE*
S196	316 Stainless Adapter, P x FPT, 1" x 1"	F17116GE*
S196	316 Stainless Adapter, P x FPT,1" x 1 1/4"	F17111/46GE*



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections **Void After:** April 2025

Model Number	Description	Alternate Model Number
S196	316 Stainless Adapter, P x FPT, 1" x 1 1/2"	F17111/26GE*
S196	316 Stainless Adapter, P x FPT, 1 1/4" x 1/2"	F1711/41/26GE*
S196	316 Stainless Adapter, P x FPT, 1 1/4" x 1"	F1711/416GE*
S196	316 Stainless Adapter, P x FPT, 1 1/4" x 1 1/4"	F1711/411/46GE*
S196	316 Stainless Adapter, P x FPT, 1 1/4" x 1 1/2"	F1711/411/26GE*
S196	316 Stainless Adapter, P x FPT, 1 1/2" x 1"	F1711/216GE*
S196	316 Stainless Adapter, P x FPT, 1 1/2" x 1 1/4"	F1711/211/46GE*
S196	316 Stainless Adapter, P x FPT, 1 1/2" x 1 1/2"	F1711/211/26GE*
S196	316 Stainless Adapter, P x FPT, 1 1/2" x 2"	F1711/226GE*
S196	316 Stainless Adapter, P x FPT, 2" x 1 1/4"	F17211/46GE*
S196	316 Stainless Adapter, P x FPT, 2" x 1 1/2"	F17211/26GE*
S196	316 Stainless Adapter, P x FPT, 2" x 2"	F17226GE*

Model Number	Description	Alternate Model Number
S193	316 Stainless Adapter, P x MPT, 1/2" x 1/2"	F181/21/26GE*
S193	316 Stainless Adapter, P x MPT, 1/2" x 3/4"	F181/23/46GE*
S193	316 Stainless Adapter, P x MPT, 1/2" x 1"	F181/216GE*
S193	316 Stainless Adapter, P x MPT, 3/4" x 1/2"	F183/41/26GE*
S193	316 Stainless Adapter, P x MPT, 3/4" x 3/4"	F183/43/46GE*
S193	316 Stainless Adapter, P x MPT, 3/4" x 1"	F183/416GE*
S193	316 Stainless Adapter, P x MPT, 3/4" x 1 1/4"	F183/411/46GE*
S193	316 Stainless Adapter, P x MPT, 1" x 3/4"	F1813/46GE*
S193	316 Stainless Adapter, P x MPT, 1" x 1"	F18116GE*
S193	316 Stainless Adapter, P x MPT, 1" x 1 1/4"	F18111/46GE*
S193	316 Stainless Adapter, P x MPT, 1" x 1 1/2"	F18111/26GE*
S193	316 Stainless Adapter, P x MPT, 1 1/4" x 1"	F1811/416GE*



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections **Void After:** April 2025

Model Number	Description	Alternate Model Number
S193	316 Stainless Adapter, P x MPT, 1 1/4" x 1 1/4"	F1811/411/46GE*
S193	316 Stainless Adapter, P x MPT, 1 1/4" x 1 1/2"	F1811/411/26GE*
S193	316 Stainless Adapter, P x MPT, 1 1/2" x 3/4"	F1811/23/46GE*
S193	316 Stainless Adapter, P x MPT, 1 1/2" x 1"	F1811/216GE*
S193	316 Stainless Adapter, P x MPT, 1 1/2" x 1 1/4"	F1811/211/46GE*
S193	316 Stainless Adapter, P x MPT, 1 1/2" x 1 1/2"	F1811/211/26GE*
S193	316 Stainless Adapter, P x MPT, 2" x 1 1/2"	F18211/26GE*
S193	316 Stainless Adapter, P x MPT, 2" x 2"	F18226GE*

Model Number	Description	Alternate Model Number
S192	316 Stainless Adapter Flange, P x Flange, 1/2"	F191/26GE*
S192	316 Stainless Adapter Flange, P x Flange, 3/4"	F193/46GE*
S192	316 Stainless Adapter Flange, P x Flange, 1"	F1916GE*
S192	316 Stainless Adapter Flange, P x Flange, 1 1/4"	F1911/46GE*
S192	316 Stainless Adapter Flange, P x Flange, 1 1/2"	F1911/26GE*
S192	316 Stainless Adapter Flange, P x Flange, 2"	F1926GE*

Model Number	Description	Alternate Model Number
S201	316 Stainless Cap, P x Cap, 1/2"	F211/26GE*
S201	316 Stainless Cap, P x Cap, 3/4"	F213/46GE*
S201	316 Stainless Cap, P x Cap, 1"	F2116GE*
S201	316 Stainless Cap, P x Cap, 1 1/4"	F2111/46GE*
S201	316 Stainless Cap, P x Cap, 1 1/2"	F2111/26GE*
S201	316 Stainless Cap, P x Cap, 2"	F2126GE*



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections **Void After:** April 2025

Model Number	Description	Alternate Model Number
S202	316 Stainless 3 Piece Adapter 1/2"	F241/26GE*
S202	316 Stainless 3 Piece Adapter 3/4"	F243/46GE*
S202	316 Stainless 3 Piece Adapter 1"	F2416GE*
S202	316 Stainless 3 Piece Adapter 1 1/4"	F2411/46GE*
S202	316 Stainless 3 Piece Adapter 1 1/2"	F2411/26GE*
S202	316 Stainless 3 Piece Adapter 2"	F2426GE*

Model Number	Description	Alternate Model Number
S183	316 Stainless Van Stone Flange 1/2"	F441/26GE*
S183	316 Stainless Van Stone Flange 3/4"	F443/46GE*
S183	316 Stainless Van Stone Flange 1"	F4416GE*
S183	316 Stainless Van Stone Flange 1 1/4"	F4411/46GE*
S183	316 Stainless Van Stone Flange 1 1/2"	F4411/26GE*
S183	316 Stainless Van Stone Flange 2"	F4426GE*

Model Number	Description	Alternate Model Number
S178	316 Stainless Weld Adapter 1/2"	F551/26GE*
S178	316 Stainless Weld Adapter 3/4"	F553/46GE*
S178	316 Stainless Weld Adapter 1"	F5516GE*
S178	316 Stainless Weld Adapter 1 1/4"	F5511/46GE*
S178	316 Stainless Weld Adapter 1 1/2"	F5511/26GE*
S178	316 Stainless Weld Adapter 2"	F5526GE*

None	EPDM seals
F	FKM seals



Issued To: ISOTUBI Effective Date: April 2020

File Number: 12371

Product: Press Connections **Void After:** April 2025

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

H HNBR seals

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org







CERTIFICATE OF LISTING

NSF/ANSI/CAN 61

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Issued To:

ISOTUBI

POLIGONO INDUSTRIAL SANTA RITA CALLE MECANICA #6 BARCELONA 08755, CASTELLBISBAL, SPAIN

Product:

Drinking Water System Components - Health Effects

Products are in compliance with the following standard(s)

NSF/ANSI/CAN 61-2018

File Number: N-12531

Effective Date: July 2020

Void After: July 2025

Chairman, Product Certification Committee

CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

Issued To: ISOTUBI Effective Date: July 2020

NSF/ANSI/CAN 61

File Number: N-12531

Product: Drinking Water System Components - Health

Effects

Void After: July 2025

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Each product shall be permanently and legibly marked with the manufacturer's name or trademark. The product may also be marked with the standard designation "NSF/ANSI/CAN 61".

Characteristics:

Materials or products that come into contact with drinking water and/or drinking water treatment chemicals. Products and materials may include process media, protective materials, joining and sealing materials, pipes and related products, mechanical devices used with treatment/transmission/distribution systems, and mechanical plumbing devices. To be installed in accordance with the manufacturer's instruction. Lead free requirements are addressed under a separate certificate of listing.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Issued To: ISOTUBI Effective Date: July 2020

NSF/ANSI/CAN 61

File Number: N-12531

Product: Drinking Water System Components - Health

Void After: July 2025

Effects

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description
F311/26GE	316 Stainless 3 Piece Ball Valve 1/2"
F313/46GE	316 Stainless 3 Piece Ball Valve 3/4"
F3116GE	316 Stainless 3 Piece Ball Valve 1"
F3111/46GE	316 Stainless 3 Piece Ball Valve 1 1/4"
F3111/26GE	316 Stainless 3 Piece Ball Valve 1 1/2"
F3126GE	316 Stainless 3 Piece Ball Valve 2"

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org







CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

ISOTUBI

POLIGONO INDUSTRIAL SANTA RITA CALLE MECANICA #6 BARCELONA 08755, CASTELLBISBAL, SPAIN

Product:

Ball Valves

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

National Plumbing Code of Canada

Products are certified to the following standard(s)
IAPMO/ANSI Z1157-2014e1 (R2019) and ASME A112.4.142022/CSA B125.14:22

File Number: 12372

Revised Date: February 17, 2023

Effective Date: September 2020

Void After: September 2025*

Chairman, Product Certification Committee



Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



Issued To: ISOTUBI Effective Date: September 2020

File Number: 12372 Revised Date: February 17, 2023

Product: Ball Valves Void After: September 2025

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Each ball valve shall be permanently and legibly marked with the manufacturer's name or trademark, nominal size, maximum rated working pressure at 23 °C (73 °F), and maximum rated working pressure at manufacturer's maximum operating temperature, except for ball valves intended for cold water applications only, which may be marked with "Cold Water Only", "Cold Only", or equivalent text. Integral flexible water connectors shall be marked in accordance with applicable marking requirements of ASME A112.18.6/CSA B125.6. Ball valves with push-fit fittings shall be marked in accordance with the applicable marking requirements of ASSE 1061. Unidirectional valves shall be marked with the direction of flow. Markings shall be visible after installation. Permanent markings may be applied to the ball valve body or handle. Alternatively, hand-tags shall be an acceptable means of applying permanent markings. Product shall also bear the cUPC® certification mark. Product packaging shall bear the model number, rated flow in L/min, and the manufacturer's name or trademark (or in the case of private labeling, the name or mark of the customer for whom the valve was manufactured).

Characteristics:

Ball valves in sizes NPS-1/8 to NPS-4, with minimum rated working pressures of 860 kPa (125 psi) at 23 °C (73 °F), intended for use in water supply and distribution systems. To be installed with other listed fittings, in accordance with the manufacturer's instructions, and the requirements of the latest edition of the Uniform Plumbing Code and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.



Issued To: ISOTUBI

Effective Date: September 2020

File Number: 12372

Revised Date: February 17, 2023

Product: Ball Valves

Void After: September 2025

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Note: models with suffix options F and H are not intended for drinking water applications

Model Number	Description	Alternate Model Number
S186	316 Stainless 3 Piece Ball Valve 1/2"	F311/26GE*
S186	316 Stainless 3 Piece Ball Valve 3/4"	F313/46GE*
S186	316 Stainless 3 Piece Ball Valve 1"	F3116GE*
S186	316 Stainless 3 Piece Ball Valve 1 1/4"	F3111/46GE*
S186	316 Stainless 3 Piece Ball Valve 1 1/2"	F3111/26GE*
S186	316 Stainless 3 Piece Ball Valve 2"	F3126GE*
*		
None	EPDM seals	
F	FKM seals	
Н	HNBR seals	